


Colors Book

2026/2027




atlasPLAN

Colors Book

2026/2027

atlasPLAN



Surfaces and decors for indoor and outdoor

Large slabs for floor, wall and furniture

Furniture

New colors

MARBLE LOOK

Vanilla White	13
Breccia Cream	16
Calacatta Oro	20
Aurelia Vein	24
Sahara Dark	26

STONE LOOK

Nyra Utopia Reef	28
Nyra Utopia Barley NB*	32
Nyra Utopia Comet NB*	36

CONCRETE LOOK

Boost Hux Dune	40
Boost Hux Moka NB*	44

- Furniture
- Countertops
- Sinks
- Facades
- Wall
- Floor

MARBLE LOOK

Appennino	50	Travertino Halo White	109
Silver Root	52	Travertino Navona White	112
Calacatta Gold NV*	54	Travertino Pearl	118
Calacatta Bernini NV*	56	Travertino Sand	119
Calacatta Apuano	58	Travertino Romano Sand	120
Calacatta Extra	62	Travertino Romano Silver	124
Calacatta Antique	66	Cream Prestige	128
Calacatta Imperiale NV*	68	Sky Stone	130
Calacatta Delicato	71	Alpinus	132
Calacatta Prestigio	72	Desert Soul	136
Calacatta Viola	76	Natural Roots	138
Crystal White	80	Exotic Wave	142
Onyx White	82	Exotic Green	144
Onyx Ivory	84	Zephyr	146
Ice Crystal	88	Fior Di Bosco	150
White Cloud	92	Light Grey Stone	152
Bianco Dolomite	93	Grey Stone	153
Statuario Supremo	94	Precious Brown	154
Taj Mahal White	96	Baobab	156
Taj Mahal	100	Black Tempest	160
Taj Mahal Noisette	104	Nero Marquina	162
Travertino White	108	Black Atlantis	164

STONE LOOK

Boost Icor Bone	166	Boost Mineral Grey NB*	187
Boost Icor Dune	170	Kone Mix NB*	188
Nyra Hay	174	Basaltina Volcano NB*	189
Nyra Mist NB*	178	Negresco	190
Nyra Ambrosia NB*	182		
Boost Stone Ivory	186		

WOOD LOOK

Noce Canaletto NB*	192
--------------------	-----

CONCRETE LOOK

Boost Vision Glow	193	Boost Natural Pro Sand	208
Boost Vision Camel	196	Boost Natural Ecru	209
Boost White	200	Boost Grey	210
Boost Natural Kaolin	204	Boost Smoke	214
Boost Balance Ash	206	Boost Tarmac	218

SOLID LOOK

Absolute White	222
Absolute Black	223
Black Lava	224

METAL LOOK


Blaze Iron	225
------------	-----

SYMPOSIO	226
----------	-----



Large slabs for furniture

- Furniture
- Countertops
- Sinks
- Facades
- Wall
- Floor



Not rectified porcelain slabs

162 x 324 cm

± 12, 20 mm

159 x 324 cm

± 20 mm

Rectified monocaliber porcelain slabs

160 x 320 cm

± 6 mm

Natura technologies

The look of natural marble.
The vein pattern is reproduced through the full thickness of the slab.



The texture of natural stone.
The aesthetics of natural stone across both the surface and body of the slab.



Our finishes

The technical data sheets can be viewed and displayed on www.atlasplan.com

Polished




Silk



Satin



Leathered



The shades of finishes reproduced here may not correspond perfectly with actual shades, due to limitations relating to the printing on paper.

Hammered



Matte



New colors

2026 - 2027

NEW COLOR

Vanilla White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk Hammered	HGUW HGUW

Also available in other sizes in the Atlas Concorde range.

NEW COLOR

Vanilla White



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HGVC
> KIT ENDLESS	± 6 mm	Silk	HGVG

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS





NEW COLOR

Breccia Cream



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	HGUY
ID Skin		Hammered	HGUX

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

NEW COLOR

Breccia
Cream



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HGVD
> KIT ENDLESS	± 6 mm	Silk	HGVH

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



NEW COLOR

Calacatta Oro



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	HGU3
		Satin	HGU6
		Hammered	HGUZ
> BOOKMATCH	± 12 mm	Polished	HGU4
		Satin	HGU7
		Hammered	HGU0

Also available in other sizes in the Atlas Concorde range.



NEW COLOR

Calacatta Oro




SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Hammered	HGVE
> KIT ENDLESS	± 6 mm	Hammered	HGVI

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



NEW COLOR

Aurelia Vein



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HGU8
> BOOKMATCH	± 12 mm	Hammered	HGU9

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.



[BACK TO INDEX](#)

NEW COLOR


Sahara Dark



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HGVA
> BOOKMATCH	± 12 mm	Hammered	HGVB

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.





NEW COLOR

Nyra Utopia Reef



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HGUF

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Utopia Reef



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HGUC
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





NEW COLOR

Nyra Utopia Barley



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm	± 12 mm	Hammered	HGUG
62 3/4" x 127 1/2"	± 20 mm	Hammered	HGUI
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Utopia Barley



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ID Skin	± 6 mm	Hammered	HGUD

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





NEW COLOR

Nyra Utopia Comet



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HGUH
	± 20 mm	Hammered	HGUJ

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Utopia Comet




SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HGUE
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





NEW COLOR

Boost Hux
Dune



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2"	± 12 mm	Hammered	HHB2

Also available in other sizes in the Atlas Concorde range.


Boost Hux Dune



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HHB1

Also available in other sizes in the Atlas Concorde range.

patterns





NEW COLOR

Boost Hux
Moka



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2"	± 12 mm	Hammered	HG34

Also available in other sizes in the Atlas Concorde range.

Boost Hux Moka



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HG33

Also available in other sizes in the Atlas Concorde range.

patterns



Color range

Appennino

atlasPLAN x MODULNOVA



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AX0N
> BOOKMATCH	± 12 mm	Silk	AX0O
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	ARTK
> BOOKMATCH	± 6 mm	Silk	ARTM



Silver Root

atlasPLAN x MODULNOVA



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AX0R
> BOOKMATCH	± 12 mm	Silk	AX0S
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	ARTN
> BOOKMATCH	± 6 mm	Silk	ARTO

Calacatta Gold



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AKFA AKE8
> BOOKMATCH	± 12 mm	Polished Silk	AKFB AKE9
159 x 324 cm 62 3/4" x 127 1/2" > NATURA VEIN TECH	± 20 mm	Polished	AKFC
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Polished	AKE6
> BOOKMATCH	± 6 mm	Polished	AKE7

For reasons related to the production process,
the graphic of 20mm thick Natura Vein Tech products
may not perfectly match the one illustrated here.

Calacatta Bernini



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	AF5E
> BOOKMATCH			
	± 12 mm	Polished	AF5K
> NATURA VEIN TECH			
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Polished Matte	AIRK AIRL
> NATURA VEIN TECH			

For reasons related to the production process,
the graphic of 20mm thick Natura Vein Tech products
may not perfectly match the one illustrated here.

Also available in other sizes in the Atlas Concorde range.

Calacatta Apuano



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	12 mm	Polished Silk	AGRP AGRJ
> BOOKMATCH	12 mm	Polished Silk	AGRQ AGRL

Also available in other sizes in the Atlas Concorde range.

Calacatta Apuano



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" > ENDLESS	± 6 mm	Polished	AJRR
> KIT ENDLESS	± 6 mm	Polished	AKFN

Also available in other sizes in the Atlas Concorde range.



patterns



Calacatta Extra



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AAVD AA2T
> BOOKMATCH	± 12 mm	Polished Silk	AA2X AMJV
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Polished Matte	AIRN AIRQ
> BOOKMATCH	± 20 mm	Polished Matte	AIRP AIRR

Also available in other sizes in the Atlas Concorde range.

Calacatta Extra




SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	AJKY
> BOOKMATCH	± 6 mm	Silk	AJKZ

Also available in other sizes in the Atlas Concorde range.

patterns

BOOKMATCH



Calacatta Antique



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	A0XZ
> BOOKMATCH	± 12 mm	Polished	A8T7

Calacatta Imperiale



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	A0XI A0XV
> BOOKMATCH	± 12 mm	Polished Silk	A0XT A0XX
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	AJK0
> BOOKMATCH	± 6 mm	Silk	AJK1

Also available in other sizes in the Atlas Concorde range.

Calacatta Imperiale



SIZE	THICKNESS	FINISH	CODE
not rectified			
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Polished Matte	AIRS AILP

For reasons related to the production process, the graphic of 20mm thick Natura Vein Tech products may not perfectly match the one illustrated here.

Also available in other sizes in the Atlas Concorde range.



Calacatta Delicato



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	A4T3

Also available in other sizes in the Atlas Concorde range.



Calacatta Prestigio



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	A4T0
> BOOKMATCH	± 12 mm	Silk	A4T1

Also available in other sizes in the Atlas Concorde range.

Calacatta Prestigio



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ENDLESS	± 6 mm	Polished	A4RR
> KIT ENDLESS	± 6 mm	Polished	AKFL

Also available in other sizes in the Atlas Concorde range.

patterns



Calacatta Viola



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Satin	HCL7 HDLW
> BOOKMATCH	± 12 mm	Polished Satin	HCL8 HDLX

Also available in other sizes in the Atlas Concorde range.

Calacatta Viola



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Polished	HCLZ
> KIT ENDLESS	± 6 mm	Polished	HDV5

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Crystal White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	A9C2 A9C4
> BOOKMATCH	± 12 mm	Polished Silk	AF2W AF2X
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Polished	AIRJ
> BOOKMATCH	± 20 mm	Polished	AIRH
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Polished	AJKU
> BOOKMATCH	± 6 mm	Polished	AJKV

Also available in other sizes in the Atlas Concorde range.

Onyx White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	⚡ 12 mm	Polished Silk	AJHJ AJHD
> BOOKMATCH	⚡ 12 mm	Polished Silk	AJHK AJHE

Also available in other sizes in the Atlas Concorde range.

Onyx Ivory



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	HD6U
> BOOKMATCH	± 12 mm	Polished	HD7J

Also available in other sizes in the Atlas Concorde range.

Onyx Ivory



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Polished	HDZS
> KIT ENDLESS	± 6 mm	Polished	HECD

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Ice Crystal



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AXXK AXXI
> BOOKMATCH	± 12 mm	Polished Silk	AXXL AXXJ

Also available in other sizes in the Atlas Concorde range.

Ice Crystal



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" > ENDLESS	± 6 mm	Polished Silk	AXXG AXXH
> KIT ENDLESS	± 6 mm	Polished Silk	AXYJ AXYK

Also available in other sizes in the Atlas Concorde range.



patterns

ENDLESS



White Cloud



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	A4UO

Bianco Dolomite



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	AAVG
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Polished	AILN

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

Statuario Supremo



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	A4TX
> BOOKMATCH	± 12 mm	Silk	A4TY

Also available in other sizes in the Atlas Concorde range.

Taj Mahal White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	HEUR HD7E
> BOOKMATCH	± 12 mm	Polished Silk	HEUS HD7F

Also available in other sizes in the Atlas Concorde range.

NEW COLOR

Taj Mahal White



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HD7C
> KIT ENDLESS	± 6 mm	Silk	HD7D

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS





SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AXXS AXXQ
	± 20 mm	Polished Matte	HH76 HDV4
> BOOKMATCH	± 12 mm	Polished Silk	AXXT AXXR

Also available in other sizes in the Atlas Concorde range.

Taj Mahal



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" > ENDLESS	± 6 mm	Polished Silk	AXXO AXXP
> KIT ENDLESS	± 6 mm	Polished Silk	AXYL AXYM

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Taj Mahal Noisette



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	HEUT HDT4
> BOOKMATCH	± 12 mm	Polished Silk	HEUU HDT5

Also available in other sizes in the Atlas Concorde range.

Taj Mahal Noisette



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HDT2
> KIT ENDLESS	± 6 mm	Silk	HDT3

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Travertino White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ALYX
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	ALYW

Also available in other sizes in the Atlas Concorde range.

Travertino Halo White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCL4

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Travertino Halo White



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
ID Skin			
> ENDLESS	± 6 mm	Hammered	HCLX
> KIT ENDLESS	± 6 mm	Hammered	HDLZ

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS





Travertino Navona White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCL0

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Travertino Navona White



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ID Skin	± 6 mm	Hammered	HCLU

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns



Travertino Navona White Line



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ID Skin	± 6 mm	Hammered	HCWB

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns



Travertino Pearl



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AF4Z
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	ALYV

Also available in other sizes in the Atlas Concorde range.

Travertino Sand



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	A647
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AJKQ

Also available in other sizes in the Atlas Concorde range.



Travertino Romano Sand



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCL3
	± 20 mm	Hammered	HIDR
162 x 324 cm 62 3/4" x 127 1/2" > NATURA VEIN TECH ID Skin	± 12 mm	Hammered	HIDS
	± 20 mm	Hammered	HIDQ

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Travertino Romano Sand



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HCLW
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Travertino Romano Silver



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCL2

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

Travertino Romano Silver



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HCLV
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Cream Prestige



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm ± 20 mm	Silk Matte	AAV6 HIDP

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AXXM
> BOOKMATCH	± 12 mm	Silk	AXXN

Also available in other sizes in the Atlas Concorde range.



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HDV7
> BOOKMATCH	± 12 mm	Hammered	HDV8

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.



Alpinus



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm			
63" x 126"			
ID Skin			
> ENDLESS	± 6 mm	Hammered	HDV6
> KIT ENDLESS	± 6 mm	Hammered	HEAW

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS




Desert Soul



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	A9CW A9CZ
	± 20 mm	Polished	A9C7
> BOOKMATCH	± 12 mm	Polished Silk	A9CX A9C0
	± 20 mm	Polished	A9C8
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Polished	AJKG
	± 6 mm	Polished	AJKH

Also available in other sizes in the Atlas Concorde range.



MARBLE LOOK

[BACK TO INDEX](#)

Natural Roots



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	HEA4 HEA6
> BOOKMATCH	± 12 mm	Polished Silk	HEA5 HEA7

Also available in other sizes in the Atlas Concorde range.



MARBLE LOOK

[BACK TO INDEX](#)

Natural Roots



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HEA0
> KIT ENDLESS	± 6 mm	Silk	HEAY

Also available in other sizes in the Atlas Concorde range.



patterns

ENDLESS



Exotic Wave



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 6 mm	Polished	AJRN
	± 12 mm	Polished	A9CT
> BOOKMATCH	± 6 mm	Polished	AJRO
	± 12 mm	Polished	A9CU



MARBLE LOOK

[BACK TO INDEX](#)

Exotic Green



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 6 mm	Polished	AJRP
	± 12 mm	Polished	A9CN
> BOOKMATCH	± 6 mm	Polished	AJRQ
	± 12 mm	Polished	A9CO

Also available in other sizes in the Atlas Concorde range.

Zephyr



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	HEA1
> BOOKMATCH	± 12 mm	Silk	HEA2

Also available in other sizes in the Atlas Concorde range.



MARBLE LOOK

[BACK TO INDEX](#)

Zephyr



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"			
> ENDLESS	± 6 mm	Silk	HEAU
> KIT ENDLESS	± 6 mm	Silk	HEAV

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Fior Di Bosco



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AIBE
> BOOKMATCH	± 12 mm	Silk	AIBF
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	AYB4
> BOOKMATCH	± 6 mm	Silk	AYB5

Also available in other sizes in the Atlas Concorde range.

Light Grey Stone



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AMJ9

Grey Stone



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AAWA
	± 20 mm	Matte	AHH2
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	AJKX

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

Precious Brown



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AJHF
> BOOKMATCH	± 12 mm	Silk	AJHG
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Silk	AKGB
> BOOKMATCH	± 6 mm	Silk	AKGC


Also available in other sizes in the Atlas Concorde range.

Baobab



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished	AXXW
> BOOKMATCH	± 12 mm	Polished	AXX1

Also available in other sizes in the Atlas Concorde range.



MARBLE LOOK

[BACK TO INDEX](#)

Baobab




SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" > ENDLESS	± 6 mm	Polished	AXXV
> KIT ENDLESS	± 6 mm	Polished	AXYN

Also available in other sizes in the Atlas Concorde range.

patterns

ENDLESS



Black Tempest



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	AXXX
> BOOKMATCH	± 12 mm	Silk	AXXY

Also available in other sizes in the Atlas Concorde range.

Nero Marquina



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	ANWA ANVK
> BOOKMATCH	± 12 mm	Polished Silk	A6T5 A6T4
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Polished Silk	AJKW AJK2

Also available in other sizes in the Atlas Concorde range.

Black Atlantis



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	A8XV
> BOOKMATCH	± 12 mm	Silk	A8XW

Also available in other sizes in the Atlas Concorde range.



Boost Icor Bone



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AX6L

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

Boost Icor Bone



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AX6K

Also available in other sizes in the Atlas Concorde range.

patterns





Boost Icor Dune



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AX6N

Also available in other sizes in the Atlas Concorde range.

Boost Icor Dune



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AX6M

Also available in other sizes in the Atlas Concorde range.

patterns





Nyra Hay



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm	± 12 mm	Hammered	HCWG
62 3/4" x 127 1/2"	± 20 mm	Hammered	HGQY
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Hay



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HCWC
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Nyra Mist



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm	± 12 mm	Hammered	HCWH
62 3/4" x 127 1/2"	± 20 mm	Hammered	HG4I
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Mist



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ID Skin	± 6 mm	Hammered	HCWD

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Nyra Ambrosia



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCL5

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Nyra Ambrosia



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126" ID Skin	± 6 mm	Hammered	HCLY

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns



Boost Stone Ivory



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	A648
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AJRX

Also available in other sizes in the Atlas Concorde range.

Boost Mineral Grey



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AHV6
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AKGA

Also available in other sizes in the Atlas Concorde range.

Kone Mix



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AMSX
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AJKP

Also available in other sizes in the Atlas Concorde range.



Basaltina Volcano



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ANVI
	± 20 mm	Hammered	A2XS
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AJKO





Negresco



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk	ARCR

Noce Canaletto



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2" > NATURA BODY TECH	± 12 mm	Matte	AKFE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Matte	AKFD

Boost Vision Glow



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCWI

ID Skin
This surface enhances the details and the fine texture of the product.
La superficie esalta i dettagli e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Boost Vision Glow






SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HCWE
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Boost Vision Camel



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 62 3/4" x 127 1/2" ID Skin	± 12 mm	Hammered	HCWJ

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

Boost Vision Camel



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	HCWF
ID Skin			

ID Skin
This surface enhances the details
and the fine texture of the product.
La superficie esalta i dettagli
e la matericità del prodotto.

Also available in other sizes in the Atlas Concorde range.

patterns





Boost White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ANVX

Also available in other sizes in the Atlas Concorde range.

Boost White



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AO5Z

Also available in other sizes in the Atlas Concorde range.

patterns



Boost Natural Kaolin



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	ALR0

Also available in other sizes in the Atlas Concorde range.

patterns





NEW COLOR

Boost
Balance
Ash



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Matte	AJKC

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

Boost Natural Pro Sand



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ARCQ

Also available in other sizes in the Atlas Concorde range.

Boost Natural E cru



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	A649

Also available in other sizes in the Atlas Concorde range.



Boost Grey



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	A65C

Also available in other sizes in the Atlas Concorde range.

Boost Grey



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	A68I

Also available in other sizes in the Atlas Concorde range.

patterns





Boost Smoke



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ANV0

Also available in other sizes in the Atlas Concorde range.

Boost Smoke



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	AO50

Also available in other sizes in the Atlas Concorde range.

patterns





Boost Tarmac



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	A65D

Also available in other sizes in the Atlas Concorde range.

Boost Tarmac



SIZE	THICKNESS	FINISH	CODE
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Hammered	A68J

Also available in other sizes in the Atlas Concorde range.

patterns



Absolute White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Matte	AG1N
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	Matte	AIRU
rectified monocaliber			
160 x 320 cm 63" x 126"	± 6 mm	Matte	AJKR

Absolute Black



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Matte	AG1G

Black Lava



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Leathered	AF5A



Blaze Iron



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Matte	A3ND

Also available in other sizes in the Atlas Concorde range.

[BACK TO INDEX](#)

SYM PO SIO

Surfaces where aesthetics, functionality and conviviality harmoniously blend.

Superfici in cui estetica, funzionalità e convivialità si fondono armoniosamente.

Symposio is a collection designed with exclusive dedication to the world of interior furniture. This collection blends styles and inspirations, incorporating materials such as marble, concretes, and stones, imparting a unique personality to each space and creating surfaces meant to be lived in and shared.

Symposio is a complete line of ceramic surfaces that integrates technical performance and high aesthetic results of Atlas Plan porcelain stoneware in a versatile and varied stylistic range. With Symposio, each surface becomes a meeting place, where beauty combines with functionality: a complete solution for the needs of any room.

Symposio è una collezione progettata con dedizione esclusiva per il mondo dell'arredamento. Questa collezione unisce stili e ispirazioni, incorporando materiali come marmi, cementi e pietre, conferendo a ogni ambiente una personalità unica e creando superfici pensate per essere vissute e condivise.

Symposio è una linea completa di superfici ceramiche, che integra le prestazioni tecniche e l'alta resa estetica del gres porcellanato di Atlas Plan in una gamma stilistica versatile ed eterogenea. Con Symposio, ogni superficie diventa un luogo di incontro, dove la bellezza si combina con la funzionalità, offrendo una soluzione completa per soddisfare le esigenze di ogni ambiente.



DOWNLOAD
CATALOG

[BACK TO INDEX](#)

S Y M
P O
S I O

Calacatta Bellini



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AAVF AA3G



S Y M
P O
S I O

Calacatta Black



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished Silk	AP2D AP2E



S Y M
P O
S I O

Mineral White



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AP2F

S Y M
P O
S I O

Mineral Smoke



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AP2G

S Y M
P O
S I O

Natural Kaolin



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	ALR1

S Y M
P O
S I O

Balance Smoke



SIZE	THICKNESS	FINISH	CODE
not rectified			
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered	AP2H

Technical specifications



162x324 cm – 63³/₄”x127¹/₂”
NOT RECTIFIED SLAB



159x324 cm – 62³/₄”x127¹/₂”
NOT RECTIFIED SLAB



160x320 cm – 63”x126”
RECTIFIED MONOCALIBER

Processing operations such as cutting, grinding and polishing may generate respirable crystalline silica dust. To work safely, it is essential to adopt the protective measures required by the applicable regulations. It is recommended to consult the relevant authorities and refer to the Safety Data Sheet available at www.atlasplan.com/en/safety-data-sheet/

Complies with EN 14411 (ISO 13006) Appendix G Group Bla

- (*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
- (**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
- (***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
- (****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
- c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
- e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
- w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
- (1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).
- (2). Anti-slip performance is guaranteed at the time of delivery of the product.
- (3). However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers’ guidelines and recommendations.”
- (4). For further details, please refer to outdoor design general catalogue.
- (5). Only for products with 20 mm thickness.


Technical features

Technical features				Requirements for nominal size N		162x324 cm - 63 3/4"x127 1/2" 159x324 cm - 62 3/4"x127 1/2" Not Rectified			160x320 cm - 63"x127" Rectified			
				N ≥ 15 cm			Silk	Matte Hammered Leathered	Polished	Silk	Matte Hammered	Polished
		(%)	(mm)									
Regularity characteristics		Length and width	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			Suitable for			
		Thickness		± 5 (**)	± 0,5 (**)	Suitable for Conforme			Suitable for			
		Straightness of sides		± 0,3 (***)	± 0,8 (***)	N.A.			Suitable for			
		Rectangularity (Measurement only on short edges when L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			Suitable for			
		Surface flatness		c.c. ± 0,4	c.c. ± 1,8	Suitable for			Suitable for			
				e.c. ± 0,4	e.c. ± 1,8							
w. ± 0,4	w. ± 1,8											
Structural characteristics		Water absorption	ISO 10545-3	E, ≤ 0,5% Individual max 0,6%			≤ 0,1 %					
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5 %					
Bulk mechanical characteristics		Breaking strength	ISO 10545-4	S ≥ 700 N for thickness < 7,5mm	S ≥ 1300 N for thickness ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N			
		Modulus of rupture		R ≥ 35 N/mm²			R ≥ 40 N/mm²					
		Impact resistance, as coefficient of restitution		ISO 10545-5	Declared value			≥ 0,55				
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume)	ISO 10545-6	≤ 175 mm³			Suitable for			Suitable for		
Thermal and hygrometric characteristics		Coefficient of thermal linear expansion	ISO 10545-8	Declared value			≤ 7 MK ⁻¹			≤ 7 MK ⁻¹		
		Thermal shock resistance	ISO 10545-9	Pass according to EN ISO 10545-1			Resistant			Resistant		
		Moisture expansion (in mm/m)	ISO 10545-10	Declared value			≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
		Frost resistance	ISO 10545-12	Pass according to EN ISO 10545-1			Resistant Resiste			Resistant Resiste		
Physical properties		Bond strength/adhesion for improved cementitious adhesives	EN 1348	Declared value			≥ 1,0 N/mm² (Class C2 - EN 12004)			≥ 1,0 N/mm² (Class C2 - EN 12004)		
		Reaction to fire	-	A1 or Afl			A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics		Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B (B for unglazed tiles)			A			A		
		Resistance to low concentrations of acids and alkalis		Declared Class			LA			LA		
		Resistance to high concentrations of acids and alkalis		Declared Class			HA	HA	-	HA	HA	-
		Resistance to staining	ISO 10545-14	Declared Class			5			5		
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)	ISO 10545-15	Declared value			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb		
Safety characteristics (1)(2)		Shod Ramp Test	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared Class			-	-	-	-	R9	N.C.
		Barefoot Ramp Test	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared Class			-	-	-	-	A	-
		Coefficient of friction (COF)	B.C.R.A. Rep. CEC/81	D.M. 236/89 dated 14/06/89 μ >0,40 for leather sliding element on dry flooring μ >0,40 for hard rubber sliding element on wet flooring			-	-	-	-	> 0,40 dry > 0,40 wet	> 0,40 dry < 0,40 wet
		Dynamic coefficient of friction (DCOF)	ANSI A 326,3	-			-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
		Resistance to scratching	UNI EN 15186:2012 met.B	-			CEN/TS 16209 Class A			CEN/TS 16209 Class A		
		Tendency to retain dirt	UNI 9300:2015	-			No visible change (5)			No visible change (5)		
		Surface resistance to cold liquids	UNI EN 12720:2013	-			CEN/TS 16209 Class A			CEN/TS 16209 Class A		
		Surface resistance to wet heat	UNI EN 12721:2013	-			CEN/TS 16209 Class A			CEN/TS 16209 Class A		
		Surface resistance to dry heat	UNI EN 12722:2013	-			CEN/TS 16209 Class A			CEN/TS 16209 Class A		
		Assessment of resistance to impact	ISO 4211-4:1988	-			Maximum drop height according to thickness			Maximum drop height according to thickness		

Packaging

Atlas Plan slabs can be shipped in wooden crates or on A-frames made of wood or galvanized steel, according to the customer’s choice.

Crates



Crate storage
The wooden crates can be stacked on top of each other. Up to 7 crates can be stacked. Up to 9 crates can be stacked providing they are placed on a concrete floor. However, it is not possible to place a load of different size than that of the crate itself on top. The crates can be stored outdoors for up to 6 months.

MATERIAL	CERTIFICATION	EXTERIOR DIMENSIONS [MM - INCHES]	WEIGHT [KG - LBS]	GRIPPING POINTS
Wood	Structural and phytosanitary features*	3442x1745x374 135"x69" x15"	140 - 308,6	4-way (A or B)

*Phytosanitary certification refers to International Standard ISPM-15.

Transport in crates


THICKNESS [MM - INCHES]	SLABS LOADABLE IN CRATE	SQUARE METRES LOADABLE IN CRATE [M² - SQFT]	CRATE WEIGHT IN MAXIMUM LOAD CONDITIONS [KG - LBS]*
20 - 3/4"	4	21 - 226	1106 - 2438
12 - 1/2"	8	42 - 452	1300 - 2866
6 - 1/4"	14	73.5 - 150,7	1155 - 2546

*weight tolerance of slabs 5%


A foam corner protection is applied when the slabs are loaded into the crates. A polystyrene sheet is placed on the bottom of the crate. The loading of each crate is then completed by applying a heat-shrink cap.

A-frame

Wooden A-frame



Steel A-frame



MATERIAL	CERTIFICATION	DIMENSIONS [MM - INCHES]	WEIGHT [KG - LBS]	GRIPPING POINTS
Wood	Structural and phytosanitary features*	3300x750x1953 130"x30" x77"	205 - 452	4-way (A or B)
Galvanised steel	Structural	3300x750x1950 130"x30" x77"	176 - 388	4-way (A or B)

*The structural certification refers to the following standards: UNI 91251, UNI EN 1995-1, UNI EN 12246, UNI EN 12248, UNI EN 636, UNI EN 12369-2; the phytosanitary certification refers to international standard ISPM-15.


A-frame storage
A third A-frame can be inserted upside-down between two wooden A-frames placed side-by-side to optimise empty A-frame storage space. Up to 6 galvanized steel A-frames can be stacked.

Transport on A-frames


SLAB THICKNESS [MM - INCHES]	SLABS LOADABLE ON A-FRAMES	SQUARE METRES LOADABLE ON A-FRAME [M² - SQFT]	A-FRAME WEIGHT IN MAXIMUM LOAD CONDITIONS [KG - LBS]*	
			WOODEN A-FRAME	STEEL A-FRAME
20 - 3/4"	12	63 - 678	3103 - 6841	3074 - 6777
12 - 1/2"	22	115,5 - 1243	3400 - 7496	3366 - 7421
6 - 1/4"	42	220 - 2368	3250 - 7165	3221 - 7101

*weight tolerance of slabs equal to 5%

Once loaded, the slabs are fixed to the packaging by applying four vertical straps. The packaging is then covered by a heat-shrinkable cap. Incomplete loads must be balanced between the two sides of the A-frame.



Bundles



MATERIAL	CERTIFICATION	EXTERIOR DIMENSIONS [MM - INCHES]	WEIGHT [KG - LBS]	GRIPPING POINTS
Wood	Phytosanitary	3300x540x1800 130"x21"x71"	30-40 66-88	Base (A)

Bundles storage
 Bundles can be stocked parallel on the ground. The bundles can be stored outdoors for up to 6 months. It is not recommended to store bundles outdoor for more than 6 months.

Transport on bundles

THICKNESS [MM - INCHES]	SLABS LOADABLE ON BUNDLES	SQUARE METRES LOADABLE ON BUNDLES [M² - SQFT]	BUNDLES WEIGHT IN MAXIMUM LOAD CONDITIONS [KG - LBS]*
12 - 1/2"	18	94,5 - 1017,2	2650 - 5842
20 - 3/4"	12	63 - 678	2920 - 6437,5

*weight tolerance of slabs 5%

